

File No PLC/450

8 March 2004

**NATIONAL INDUSTRIAL CHEMICALS NOTIFICATION AND ASSESSMENT SCHEME  
(NICNAS)**

**FULL PUBLIC REPORT**

**Polymer in Aristoflex PEA 70**

This Assessment has been compiled in accordance with the provisions of the *Industrial Chemicals (Notification and Assessment) Act 1989* (Cwlth) (the Act) and Regulations. This legislation is an Act of the Commonwealth of Australia. The National Industrial Chemicals Notification and Assessment Scheme (NICNAS) is administered by the Department of Health and Ageing, and conducts the risk assessment for public health and occupational health and safety. The assessment of environmental risk is conducted by the Department of the Environment and Heritage.

For the purposes of subsection 78(1) of the Act, this Full Public Report may be inspected at:

Library  
National Occupational Health and Safety Commission  
25 Constitution Avenue  
CANBERRA ACT 2600  
AUSTRALIA

To arrange an appointment contact the Librarian on TEL + 61 2 6279 1161 or + 61 2 6279 1163.

This Full Public Report is available for viewing and downloading from the NICNAS website or available on request, free of charge, by contacting NICNAS. For requests and enquiries please contact the NICNAS Administration Coordinator at:

Street Address:	334 - 336 Illawarra Road MARRICKVILLE NSW 2204, AUSTRALIA.
Postal Address:	GPO Box 58, SYDNEY NSW 2001, AUSTRALIA.
TEL:	+ 61 2 8577 8800
FAX:	+ 61 2 8577 8888.
Website:	<a href="http://www.nicnas.gov.au">www.nicnas.gov.au</a>

**Director  
Chemicals Notification and Assessment**

## TABLE OF CONTENTS

FULL PUBLIC REPORT.....	3
1. APPLICANT AND NOTIFICATION DETAILS .....	3
2. IDENTITY OF CHEMICAL .....	3
3. COMPOSITION .....	3
4. INTRODUCTION AND USE INFORMATION.....	4
5. PROCESS AND RELEASE INFORMATION .....	4
5.1. Operation Description.....	4
6. EXPOSURE INFORMATION .....	4
6.1. Summary of Environmental Exposure.....	4
6.2. Summary of Occupational Exposure .....	4
6.3. Summary of Public Exposure .....	4
7. PHYSICAL AND CHEMICAL PROPERTIES .....	5
8. HUMAN HEALTH IMPLICATIONS.....	5
8.1. Toxicology.....	5
8.1.1 Discussion of Observed Effects .....	5
8.2. Human Health Hazard Assessment.....	5
9. ENVIRONMENTAL HAZARDS .....	6
9.1. Ecotoxicology.....	6
9.1.1 Discussion of Observed Effects .....	6
9.2. Environmental Hazard Assessment .....	6
10. RISK ASSESSMENT .....	6
10.1. Environment .....	6
10.2. Occupational health and safety .....	6
10.3. Public health .....	7
11. CONCLUSIONS – ASSESSMENT LEVEL OF CONCERN FOR THE ENVIRONMENT AND HUMANS.....	7
11.1. Environmental risk assessment.....	7
11.2. Human health risk assessment .....	7
11.2.1. Occupational health and safety .....	7
11.2.2. Public health.....	7
12. MATERIAL SAFETY DATA SHEET .....	7
Material Safety Data Sheet.....	7
13. RECOMMENDATIONS .....	7
13.1. Secondary notification.....	8

**FULL PUBLIC REPORT****Polymer in Aristoflex PEA 70****1. APPLICANT AND NOTIFICATION DETAILS**

## APPLICANT(S)

Clariant (Australia) Pty Ltd, 675 Warrigal Road, Chadstone, VIC, 3148

and

Johnson and Johnson Pacific, Level 3, 1 Bay St, Broadway, NSW, 2007

## NOTIFICATION CATEGORY

Synthetic Polymer of Low Concern

## EXEMPT INFORMATION (SECTION 75 OF THE ACT)

Data items and details claimed exempt from publication:

Chemical name

Other names

CAS number

Molecular formula

Structural formula

Polymer constituents

## VARIATION OF DATA REQUIREMENTS (SECTION 24 OF THE ACT)

No variation to the schedule of data requirements is claimed.

## PREVIOUS NOTIFICATION IN AUSTRALIA BY APPLICANT(S)

Yes, LVC583

## NOTIFICATION IN OTHER COUNTRIES

USA, PMN=P86-113

**2. IDENTITY OF CHEMICAL**

## MARKETING NAME(S)

Aristoflex PEA, Polymer in Aristoflex PEA 70 (70% aqueous solution of Aristoflex PEA)

**3. COMPOSITION**

## PLC CRITERIA JUSTIFICATION

<i>Criterion</i>	<i>Criterion met (yes/no/not applicable)</i>
Meets Molecular Weight Requirements	Yes
Meets Functional Group Equivalent Weight (FGEW) Requirements	Yes
Low Charge Density	Yes
Approved Elements Only	Yes
No Substantial Degradability	Yes
Not Water Absorbing	Yes
Low Concentrations of Residual Monomers	Yes
Not a Hazard Substance or Dangerous Good	Yes

The notified polymer meets the PLC criteria.

#### 4. INTRODUCTION AND USE INFORMATION

##### MAXIMUM INTRODUCTION VOLUME OF NOTIFIED CHEMICAL (100%) OVER NEXT 5 YEARS

Year	1	2	3	4	5
Tonnes	2	2	2	2	2

##### USE

The notified polymer will be incorporated at low levels in a range of bodywashes, as a skin conditioning agent.

#### 5. PROCESS AND RELEASE INFORMATION

##### 5.1. Operation Description

The notified polymer will be imported to either Sydney or Melbourne as a component of a range of bodywashes for retail sale in Australia. The bodywash is packaged in 250 mL and 400 mL containers. It will not be manufactured, reformulated or repackaged in Australia. The work will involve handling of the products either in their retail packaging or in outer cartons. The product is to be distributed to retail outlets throughout Australia.

#### 6. EXPOSURE INFORMATION

##### 6.1. Summary of Environmental Exposure

###### Use

It is assumed that 1-2% residue will occur in emptied containers, which will be disposed of via domestic waste to land fill and recycling processes.

The notified polymer will be used in a range of cosmetic products containing 2000 kg/annum of the notified polymer that will mainly be washed off to sewer following use.

The notified polymer is fully miscible in water and as such is likely to be mobile in the aquatic and terrestrial compartments of the environment. When released to sewer and landfill, as a consequence of its high miscibility, the notified polymer is not expected to have a high affinity with the sludge, soil and sediment.

##### 6.2. Summary of Occupational Exposure

Category of worker	Number	Exposure Duration (hours per day)	Exposure Frequency (days per year)
Quality Assurance Engineer	1	2	3
Transport & Storage	4	<1hr/day	
Retail Workers			

During transport, storage and handling, workers are unlikely to be exposed to the notified polymer except when packaging is accidentally breached. Even in the event of an accident, little exposure is expected due to the low concentration of the notified polymer in the product and the small package sizes.

##### 6.3. Summary of Public Exposure

Cosmetic products containing the notified polymer are for sale to the general public. Members of the public will make dermal contact and possibly accidental ocular contact with products containing the

notified polymer. However, exposure will be low due to the small amounts used per application, the pattern of use and the low concentration of the notified polymer in the product.

## 7. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical property data were available for both the notified polymer Aristoflex PEA, and its 70% aqueous solution Aristoflex PEA 70.

	Aristoflex PEA	Aristoflex PEA 70
<b>Appearance at 20°C and 101.3 kPa</b>	Amber Solid Wax	Transparent amber liquid
<b>Melting Point</b>	31-37 °C	
<b>Density</b>	1125 kg/m <sup>3</sup> at 50°C	1100 kg/m <sup>3</sup> at 50°C
<b>Water Solubility</b>	Miscible at 20°C	Soluble at 70%
<b>Reactivity</b>	Thermal decomposition occurs at 350° C. At all pH values from 3-8, the notified polymer is stable in 5 % aqueous solution over a period of 4 weeks at room temperature and at 45° C.	At pH 9, after 5 days at 50° C the notified polymer shows a significant decrease in the higher molecular weight components (by HPLC) and a strong increase in peak intensity in the low molecular weight region. It has been concluded that the polymer is not stable in alkaline solution.
<b>Degradation Products</b>	Oxides of carbon	

## 8. HUMAN HEALTH IMPLICATIONS

### 8.1. Toxicology

The following toxicological studies were submitted for Aristoflex PEA

<i>Endpoint</i>	<i>Result</i>	<i>Classified?</i>	<i>Effects Observed?</i>
1. Rat, acute oral	LD50 >2000 mg/kg bw	no	yes
2. Rabbit, skin irritation	non-irritating	no	no
3. Rabbit, eye irritation	non-irritating	no	yes
6. Skin sensitisation – Buehler Test	no evidence of sensitisation.	no	no
8. Genotoxicity - bacterial reverse mutation	non mutagenic	no	no

All results were indicative of low hazard.

#### 8.1.1 Discussion of Observed Effects

##### Rat, acute oral

All ten animals treated showed hunched posture, lethargy, pilo-erection and a decreased respiratory rate one hour after dosing. Hunched posture and pilo-erection persisted in all animals four hours after dosing. All animals had recovered and appeared normal on day one and for the remainder of the study.

##### Rabbit, eye irritation

Minimal conjunctival redness was noted in all treated eyes one hour after treatment. All treated eyes were normal at subsequent 24, 48 and 72 hour observations.

#### 8.2. Human Health Hazard Assessment

The notified polymer meets the PLC criteria and can therefore be considered to be of low hazard. Although not classified as an eye irritant, minimal short term eye irritation could occur upon contact.

## 9. ENVIRONMENTAL HAZARDS

### 9.1. Ecotoxicology

The toxicity of the notified polymer towards zebra fish was measured according to OECD 203 with a reported LC50 of 79 mg/L (96 h).

The toxicity of the notified polymer towards bacteria was measured according to OECD 209 with a reported EC50 of 5.1 g/L. No test report provided.

Biodegradability of the notified chemical was measured according to the tests OECD 301 B and OECD 302B, and was found to be 79% (28 days) and 95% (17 days) respectively. No test report provided.

#### 9.1.1 Discussion of Observed Effects

##### Fish toxicity

The toxicity of the notified polymer to zebra fish (*Danio rerio*) was measured by exposing zebra fish (7 fish were used per test concentration and control) to five nominal concentrations up to 100 mg/L and a control, at 23±2°C, 16-h light photoperiod, dissolved oxygen at not less than 60% of air saturation value and pH 6.0-8.5. After 96 h duration, the LC50 was 79 mg/L (58-100 mg/L), the NOEC was 50 mg/L. This is based on one dead fish at 25 and 50 mg/L (not considered biologically significant), but 2 deaths after 24 h and 5 deaths after 96 h at 100 mg/L.

### 9.2. Environmental Hazard Assessment

No test reports were included for biodegradability or toxicity towards bacteria, and based on the test report data for zebra fish the notified polymer is toxic to fish. Polynionic polymers which have MW > 1000 are generally of low concern.

## 10. RISK ASSESSMENT

### 10.1. Environment

The notified polymer will be used in bodywashes and, as such, will result in the eventual release of most of the import volume to the aquatic environment from use. Based on annual imported volume of 1600 kg (2000 kg imported, however 20% re-exported to New Zealand), and assuming the majority is eventually released to sewer and not removed during sewage treatment processes, the daily release on a nationwide basis to receiving waters is estimated to be 4.4 kg/day. The predicted concentrations in sewage effluent on a nationwide basis are estimated to be:

Amount entering sewer annually (V)	1600 kg
Population of Australia (P)	20 million
Amount of water used per person per day (W)	200 L
Number of days in a year (D)	365
Estimated PEC <sub>aquatic</sub> (Ocean)	0.11 µg/L
Estimated PEC <sub>aquatic</sub> (River) (V/[P x W x D])	1.1 µg/L

Aquatic toxicity data claimed by the notifier for fish were (LC50 of 79 mg/L). Using a safety factor of 1000 to account for the lack of toxicity data from more than one aquatic taxa, the predicted no effect concentration (PNEC) for the notified polymer for the protection of aquatic ecosystems is 79 µg/L. The worst case PEC/PNEC ratios for the aquatic environment if the notified polymer is used nation wide when released to ocean and inland rivers are 0.001 and 0.01, respectively. These values are significantly less than 1, indicating low concern to the aquatic compartment. During wastewater treatment procedures, some attenuation of the notified polymer is expected.

The notified polymer is not likely to present a risk to the environment when it is transported and used in the proposed manner.

### 10.2. Occupational health and safety

The OHS risk presented by the notified polymer is expected to be low due to lack of direct contact except in the event of an accident, the low concentration of the notified polymer in the handled product and the low hazards associated with the notified polymer.

### **10.3. Public health**

The public will become exposed to the notified polymer through use of the bodywashes. However, the risk to the public from exposure to the notified polymer is considered low due to the low toxicity of the notified polymer, the small amounts used per application, the pattern of use and the low concentration of the notified polymer in the product. At the low concentrations present in the final product and due to the pattern of use, the notified polymer is not expected to cause eye irritation.

## **11. CONCLUSIONS – ASSESSMENT LEVEL OF CONCERN FOR THE ENVIRONMENT AND HUMANS**

### **11.1. Environmental risk assessment**

The polymer is not considered to pose a risk to the environment based on its reported use pattern.

### **11.2. Human health risk assessment**

#### **11.2.1. Occupational health and safety**

There is No Concern to occupational health and safety under the conditions of the occupational settings described.

#### **11.2.2 Public health**

There is Negligible Concern to public health based on its reported use pattern.

## **12. MATERIAL SAFETY DATA SHEET**

### **Material Safety Data Sheet**

The notifier has provided MSDS for the imported product as part of the notification statement. The accuracy of the information on the MSDS remains the responsibility of the applicant.

## **13. RECOMMENDATIONS**

### **CONTROL MEASURES**

#### **Occupational Health and Safety**

- A copy of the MSDS should be easily accessible to employees.

#### **Environment**

#### **Disposal**

- Recycle whenever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.

#### **Emergency procedures**

- Spills/release of the notified polymer should be prevented from entering waterways and be contained with sand or vermiculite. The recoverable product should be collected into labelled containers for recycling and the remainder should be absorbed with sand, earth, or vermiculite and placed in appropriate containers for disposal.

**13.1. Secondary notification**

The Director of Chemicals Notification and Assessment must be notified in writing within 28 days by the notifier, other importer or manufacturer:

- (1) Under subsection 64(1) of the Act; if
- the notified polymer is introduced in a chemical form that does not meet the PLC criteria.

or

- (2) Under subsection 64(2) of the Act:
- if any of the circumstances listed in the subsection arise.

The Director will then decide whether secondary notification is required.

No additional secondary notification conditions are stipulated.