

**NATIONAL INDUSTRIAL CHEMICALS NOTIFICATION AND ASSESSMENT SCHEME
(NICNAS)**

POLYMER OF LOW CONCERN PUBLIC REPORT

Polymer in 9-7 25KG CV Steel Primer

This Assessment has been compiled in accordance with the provisions of the *Industrial Chemicals (Notification and Assessment) Act 1989* (the Act) and Regulations. The National Industrial Chemicals Notification and Assessment Scheme (NICNAS) is administered by the Australian Government Department of Health, and conducts the risk assessment for public health and occupational health and safety. The assessment of environmental risk is conducted by the Australian Government Department of the Environment and Energy.

This Public Report is available for viewing and downloading from the NICNAS website or available on request, free of charge, by contacting NICNAS. For requests and enquiries please contact the NICNAS Administration Coordinator at:

Street Address: Level 7, 260 Elizabeth Street, SURRY HILLS NSW 2010, AUSTRALIA.
 Postal Address: GPO Box 58, SYDNEY NSW 2001, AUSTRALIA.
 TEL: + 61 2 8577 8800
 FAX: + 61 2 8577 8888
 Website: www.nicnas.gov.au

**Director
NICNAS**

April 2019

Table of Contents

SUMMARY	2
CONCLUSIONS AND REGULATORY OBLIGATIONS.....	2
ASSESSMENT DETAILS.....	4
1. APPLICANT AND NOTIFICATION DETAILS.....	4
2. IDENTITY OF POLYMER	4
3. PLC CRITERIA JUSTIFICATION	4
4. PHYSICAL AND CHEMICAL PROPERTIES.....	4
5. INTRODUCTION AND USE INFORMATION.....	5
6. HUMAN HEALTH RISK ASSESSMENT.....	5
7. ENVIRONMENTAL RISK ASSESSMENT	5

SUMMARY

The following details will be published in the NICNAS *Chemical Gazette*:

ASSESSMENT REFERENCE	APPLICANT(S)	CHEMICAL OR TRADE NAME	HAZARDOUS SUBSTANCE	INTRODUCTION VOLUME	USE
PLC/1528	BASF Australia Ltd	Polymer in 9-7 25KG CV Steel Primer	No	≤ 3 tonnes per annum	Component of automotive coatings

CONCLUSIONS AND REGULATORY OBLIGATIONS

Human Health Risk Assessment

Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the health of workers and the public.

Environmental Risk Assessment

Based on the assumed low hazard and the assessed use pattern, the notified polymer is not considered to pose an unreasonable risk to the environment.

Health and Safety Recommendations

- No specific engineering controls, work practices or personal protective equipment are required for the safe use of the notified polymer itself. However, these should be selected on the basis of all ingredients in the formulation.

Guidance in selection of personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.

- A copy of the SDS should be easily accessible to employees.
- If products and mixtures containing the notified polymer are classified as hazardous to health in accordance with the *Globally Harmonised System of Classification and Labelling of Chemicals (GHS)*, as adopted for industrial chemicals in Australia, workplace practices and control procedures consistent with provisions of State and Territory hazardous substances legislation should be in operation.

Disposal

- Where reuse or recycling are not appropriate, dispose of the notified polymer in an environmentally sound manner in accordance with relevant Commonwealth, state, territory and local government legislation.

Emergency Procedures

- Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.
- Spills and/or accidental release of the notified polymer should be handled by physical containment, collection and subsequent safe disposal.

Secondary Notification

This risk assessment is based on the information available at the time of notification. The Director may call for the reassessment of the polymer under secondary notification provisions based on changes in certain circumstances. Under Section 64 of the *Industrial Chemicals (Notification and Assessment) Act (1989)* the notifier, as well as any other importer or manufacturer of the notified polymer, have post-assessment regulatory obligations to notify NICNAS when any of these

circumstances change. These obligations apply even when the notified polymer is listed on the Australian Inventory of Chemical Substances (AICS).

Therefore, the Director of NICNAS must be notified in writing within 28 days by the notifier, other importer or manufacturer:

- (1) Under Section 64(1) of the Act; if
 - the notified polymer is introduced in a chemical form that does not meet the PLC criteria;or
- (2) Under Section 64(2) of the Act; if
 - the function or use of the notified polymer has changed from a component of automotive coatings, or is likely to change significantly;
 - the amount of notified polymer being introduced has increased, or is likely to increase, significantly;
 - the notified polymer has begun to be manufactured in Australia;
 - additional information has become available to the person as to an adverse effect of the notified polymer on occupational health and safety, public health, or the environment.

The Director will then decide whether a reassessment (i.e. a secondary notification and assessment) is required.

Safety Data Sheet

The SDS of a product containing the notified polymer was provided by the applicant. The accuracy of the information on the SDS remains the responsibility of the applicant.

ASSESSMENT DETAILS

1. APPLICANT AND NOTIFICATION DETAILS

Applicant

BASF Australia Ltd
Level 12, 28 Freshwater Place
SOUTHBANK VIC 3006

Exempt Information (Section 75 of the Act)

Data items and details exempt from publication include: chemical name, other names, CAS number, molecular and structural formulae, molecular weight, polymer constituents, residual monomers/impurities and import volume.

2. IDENTITY OF POLYMER

Marketing Name

9-7 25KG CV Steel Primer (product containing the notified polymer at < 10% concentration)

Molecular Weight

Number Average Molecular Weight (Mn) is > 1,000 g/mol

3. PLC CRITERIA JUSTIFICATION

<i>Criterion</i>	<i>Criterion met</i>
Molecular Weight Requirements	Yes
Functional Group Equivalent Weight (FGEW) Requirements	Yes
Low Charge Density	Yes
Approved Elements Only	Yes
Stable Under Normal Conditions of Use	Yes
Not Water Absorbing	Yes
Not a Hazard Substance or Dangerous Good	Yes

The notified polymer meets the PLC criteria.

4. PHYSICAL AND CHEMICAL PROPERTIES

Appearance at 20 °C and 101.3 kPa	Solid
Melting Point/Glass Transition Temperature	Not determined
Density*	1,494 kg/m ³ at 20 °C
Water Solubility	Not expected to be soluble based on mainly hydrophobic functionalities
Dissociation Constant	Contains anionic functionalities and is expected to dissociate in the environmentally relevant pH range (4-9)
Reactivity	Stable under normal environmental conditions
Degradation Products	None under normal conditions of use

*For imported product containing the notified polymer at < 10% concentration

5. INTRODUCTION AND USE INFORMATION

Maximum Introduction Volume of Notified Chemical (100%) Over Next 5 Years

<i>Year</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>
Tonnes	≤ 3	≤ 3	≤ 3	≤ 3	≤ 3

Use

The notified polymer will not be manufactured or reformulated in Australia. It will be imported as component of finished automotive coatings at < 10% concentration.

The coatings containing the notified polymer at < 10% concentration will not be available for sale to the public and will only be used by professional spray painters. The paint will be applied by high volume low pressure (HVLP) spray gun in a spray booth.

6. HUMAN HEALTH RISK ASSESSMENT

No toxicological data were submitted. The notified polymer meets the PLC criteria and is therefore assumed to be of low hazard. The risk of the notified polymer to occupational and public health is not considered to be unreasonable given the assumed low hazard and the assessed use pattern.

7. ENVIRONMENTAL RISK ASSESSMENT

No ecotoxicological data were submitted. The notified polymer contains functional groups with the potential to become anionic under environmental conditions (pH 4-9). Anionic polymers are generally of low toxicity to fish and daphnia, however they are known to be moderately toxic to algae. The mode of toxic action is over-chelation of nutrient elements needed by algae for growth. The highest toxicity is when the acid is on alternating carbons of the polymer backbone. However, this does not apply to the notified polymer and it is therefore not considered to be an over-chelation hazard to algae.

Release of the notified polymer to the aquatic environment is not expected during manufacture or reformulation as these processes will not occur in Australia. The notified polymer is not expected to reach the aquatic compartment through the proposed use pattern as a finished automotive coating, as it is only for professional use with engineering controls.

Most of the notified polymer will be irreversibly incorporated within the inert finished automotive coating. Residues from overspray, product containers and equipment rinsing are expected to be collected and either recycled or disposed of to landfill. Loss to overspray is collected in spray booth filters and water scrubbers which are expected to account for 30% of the import volume of the notified polymer. It is estimated that 5% of the import volume of the notified polymer will be lost from the cleaning of equipment in the form of rinsates and cleaning rags. Approximately 0.5% of the import volume is expected to be lost as container residues. Minor losses of the notified polymer may occur from accidental spills during use and transport; these, as well as the container residues, are to be collected and disposed of to landfill. When disposed of to landfill, the notified polymer is expected to eventually degrade to form water and oxides of carbon. Some of the notified polymer will be thermally decomposed during the metal recycling process; this will result in the production of water vapour and oxides of carbon.

The notified polymer is expected to be insoluble in water based on the structure and is not expected to hydrolyse in the environmental pH range (4–9). The notified polymer is not expected to cross biological membranes due to its high molecular weight and low water solubility and is therefore not expected to bioaccumulate.

Therefore, based on its assumed low hazard and low expected environmental exposure the notified polymer is not considered to pose an unreasonable risk to the environment.